

# BOZC7.R16529 - Polystyrene Insulation Certified for Canada

## Polystyrene Insulation Certified for Canada

See General Information for Polystyrene Insulation Certified for Canada

### ATLAS MOLDED PRODUCTS, A DIVISION OF ATLAS ROOFING CORPORATION

R16529

8240 BYRON CENTER AVE SW

BYRON CENTER, MI 49315-8866 USA

Expanded polystyrene foamed plastic in the form of board insulation.

Listed as to surface burning characteristics in accordance with CAN/ULC-S102.2 and as to physical properties in accordance with CAN/ULC-S701.1 (formerly CAN/ULC-S701) as indicated.

### Classification or Rating

Material Details	Nominal Density, kg/m <sup>3</sup>	Flame Spread	Smoke Developed
"DuraTherm", "Atlas OEM", "Atlas Molded Products" or "ThermalStar"	40 max	290	over 500
"ThermalStar GPS"	32 max	230	500

When examined for physical characteristics, compliance with the following requirements was determined:

### "DuraTherm", "Atlas OEM", "Atlas Molded Products" or "ThermalStar"

Property	Type 1	Type 2	Type 3
Nominal Density+, kg/m <sup>3</sup>	16	24	28
Thermal Resistance*, min, m <sup>2</sup> °C/W	0.65	0.70	0.74
Water vapour permeance**, max, ng/Pa·s·m <sup>2</sup>	300	200	130
Dimensional stability, max, % linear change	1.5	1.5	1.5
Flexural strength, min, kPa	170	240	300
Water absorption, max, % by volume	6	4	2
Compressive strength, min, kPa	70	110	140
Limiting Oxygen Index, min, %	24	24	24

### "Thermal Star GPS"

Property	Type 1
Nominal Density+, kg/m <sup>3</sup>	16

Thermal Resistance*, min, m <sup>2</sup> C/W	0.65
Water vapour permeance**, max, ng/Pa•s•m <sup>2</sup>	300
Dimensional stability, max, % linear change	1.5
Flexural strength, min, kPa	170
Water absorption, max, % by volume	6
Compressive strength, min, kPa	70
Limiting Oxygen Index, min, %	24

+ Density values given for reference purposes only and are not included in the CAN/ULC-S701 (supersedes CAN/CGSB-51.20) Standard.

\* Values at 24°C using 25 mm thick sample.

\*\* Values quoted are maximum values for 25 mm thick sample. Lower values will result for thicker materials.

Last Updated on 2021-02-08

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"